June 2022 - REV 2







Te Pūtahi Ladies Mile

Final Draft Masterplan Report Queenstown Lakes District Council









Contents

introduction	1
Introduction	4
Key Stakeholders	
Design Principles & Key Moves	
Design Principles & Key Moves	0
Context Analysis	11
Geographic Scope	12
Site Aerial	13
History - Overview	14
Historical Site Use	15
Development over time	16
Views to Site	17
Views from Site	18
Site Features	19
Demographics – Existing Community	20
Demographics – A Growing Community	21
Whakatipu Basin Landform	22
Geological History	23
Ecological History	24
Local Ecology	25
Existing Amenities	26
Trails and Recreation	27
Views and Arrival	28
Arrival View Sequence	29
Existing Physical Constraints	30
Existing Opportunities	31
Engagement	33
Engagement Timeline	34
Public Engagement Outcomes	35
Design Response to Public Engagement	36

Design Response	39
Design Principles & Key Moves	
Concept Diagram - Environment	
Concept Diagram - Community	
Illustrative Masterplan	
Key Features	
Site Overview	
Design Principle 1: Consider SH6 as a gateway to Queenstown	
SH-6 Corridor	
State Highway 6 - Illustrative Section and Plan	
State Highway 6 - Visualisation	
Design Principle 2: Foster a Unique & Enduring Identity	59
Living in Te Pūtahi	60
Landscape Character and Heritage	62
Design Principle 3: Support A Healthy Environment & Ecology	65
Landscape Concept	66
Planting Palette	68
Stormwater Strategy	70
Design Principle 4: Create Self Sustained & Connected Communities	73
Town Centre	
Town Centre Visualisation	
Schools	
Community and Sports Hubs	
Design Principle 5: Ensure Sustainable Transport Networks	
Initial Public Transport Networks	
Fully Developed Public Transport Networks	
State Highway 6 Corridor	
Street Types	
Illustrative Street A	
Illustrative Street B	
Illustrative Street C	
Illustrative Streets E & F	89
Illustrative Chapte C. Alternative Companies	

	Street G - V1	90
	Street G - V2	91
	Illustrative Streets H - Alternative Scenario	92
	Street H - V1	92
	Illustrative Streets H - Alternative Scenario	93
	Street H - V2	93
Des	sign Principle 6: Do density well, provide quality	
& d	liverse housing	95
	Typologies	96
	Density and shared amenity	
	Alternative Housing Delivery Models	99
	Density Diagram	100
	Yield Table	101
	Building Heights	102
	Yield Testing - 60 units/ha	104
Des	sign Principle 7: Develop a Resilient & Adaptable Plan	107
	Suggested Structure Plan Moves	108
	Suggested Sub Areas	110
	Suggested Zoning Plan	





Introduction

Te Pūtahi Ladies Mile is an area of key strategic importance for Queenstown (Tāhuna) and the wider lakes district. This Masterplan Report presents a vision for the future of Te Pūtahi Ladies Mile.

The Queenstown Lakes area is the fastest growing district in the country, at 6.1% per annum. The growing population puts pressure on land identified with development potential, such as the largely hazard free, flat and sunny Te Pūtahi Ladies Mile.

Major landowners along Te Pūtahi Ladies Mile have seen the opportunity and signaled their intention to develop their land in the medium to short term. In 2019 three development applications were declined by QLDC through the now expired Housing Accords and Special Housing Area legislation. These landowners are now looking at mechanisms to develop their land.

In response to these pressures, in early 2020 the Ladies Mile Te Pūtahi Masterplan Establishment Report was prepared for Queenstown Lakes District Council (QLDC). The document agreed that;

"A council led planning approach should be undertaken, taking into account the wide range of community, housing, recreation, transport, green space and infrastructure considerations on Ladies Mile and the surrounding area."

The result of the report was that a Masterplan with an associated Variation to the District Plan be prepared to set a direction for the area and ensure the best possible outcome for the community. This Masterplan report provides supporting information for a plan change. It presents a potential future for Te Pūtahi, with an emphasis on a holistic, integrated development that provides improved liveability, community amenity, transport outcomes, and social infrastructure for both existing and future residents of the wider area.

This Masterplan and associated plan variation set out the development outcomes that QLDC are hoping to achieve. A consolidated, holistic plan is crucial in ensuring the land is utilised in the best way possible, with future focused, positive outcomes for the community and environment.


Ladies Mile Consortium

Ladies Mile Consortium (LMC) were appointed by QLDC to undertake a masterplan and plan variation for the Te Pūtahi Ladies Mile area in August 2020. The LMC comprises a highly experienced, respected and passionate team of professionals that have worked on and delivered some of the largest and most comprehensive masterplan and RMA processes in New Zealand. The LMC team consists of Candor3, Studio Pacific Architecture and Brown & Company Planning with each of these companies bringing a unique set of skills and experience.


Where?

The site is located centrally within the Whakatipu Basin, at the base of the outstanding natural feature of Slope Hill between Kimiākau (Shotover River) and Waiwhakaata (Lake Hayes). The site has great views to The Remarkables and surrounding mountains, and good access to natural features of the basin.

Ladies Mile Planning History







Vision Aspirations & Objectives

Vision

"The Masterplan will seek to set out a plan for the Ladies Mile area with the community at the centre of all thinking. The aim is to see Ladies Mile developed in a way that improves community outcomes. By integrating transport, community infrastructure, placemaking and design QLDC hopes to make Ladies Mile the most liveable area in Queenstown."

from Ladies Mile Establishment Report

The Masterplan sets out a direction for the future of Te Pūtahi Ladies Mile. QLDC has clear aspirations and outcomes for the project that the Masterplan seeks to achieve. These are outlined here:


QLDC Aspirations:

- 1. Make the most of the opportunity to deliver highly efficient land use. This will include medium to high density urban development.
- 2. Plan how to achieve a high degree of connectivity within the development through a high quality street network, planning to make active travel the preferred modes, high quality experience connections to Lake Hayes Estate and Shotover Country, and convenient connections to Frankton via a range of modes.
- Provide a framework through the masterplan process to inform decisions on a large range of potential land uses at Ladies Mile including housing, a mixed use local service centre, recreation and sports grounds, primary and secondary schools. Park and Ride and rapid transit services.
- Promote a strong sense of 'place' and 'identity', taking inspiration from the landscape. This should also include high levels of liveability through quality urban design that enhances how different networks link people together.
- Celebrate the areas pioneer and Maori history in public spaces and with distinctive built form.
- Promote ways to improving the sustainability of living, reduced trip generation, better outcomes for water quality and ecological systems, use of green technology, prioritizing walking cycling and public transport.

Masterplan Objectives

- Increased liveability, wellbeing and community cohesion for existing and future residents.
- Improved access to and from Ladies Mile with a transport network that can deliver its functions efficiently and effectively.
- Support enhanced public transport and active travel provision and utilisation through integrated land use solutions and connected neighbourhoods/communities
- Has a strong community focus including a town centre and community hub that serves the existing and future residents
- Reduce the demand for car based travel across the Shotover river through integrated land use and sustainable transport solutions
- A series of legible and distinctive neighbourhoods that have a strong sense of place including connections to the wider landscape.
- Integrate open space and low impact urban design into the masterplan framework
- A high quality gateway experience is achieved along SH6
- Quality high/medium density residential housing to support public transport, local commercial centres and community facilities





Source: QLDC

Te Pūtahi Ladies Mile Design Principles & Key Moves

1. Consider SH6 as a gateway to Queenstown

2. Reflect a unique & enduring identity

3. Support a healthy environment & ecology

4. Create self sustained & connected communities

5. Enable sustainable transport networks

6. Do density well, provide quality & diverse housing

7. Develop a resilient and adaptable framework

National and Regional Policy Alignment

National Vision

Te Pūtahi Ladies Mile operates under national policy that is evolving to better respond to many factors, including our growing population and climate crisis. This includes the recent independent review of the Resource Management Act along with a number of recent national policy statements on indigenous biodiversity, freshwater management and urban development.



Urban Development

The National Policy Statement on Urban Development 2020 requires all councils that have all or part of an urban environment within their district or region to plan well for growth. It includes objectives and policies that councils must give effect to in their resource management decisions to achieve:

- Well-functioning urban environments that enable all people and communities to provide for their social, economic and cultural wellbeing, as well as their health and safety, now and into the future;
- Improvement in housing affordability by supporting competitive land and development markets;
- Intensification to enable more people to live in areas where there is high demand for housing.

Te Pūtahi Ladies Mile Masterplan will support the Council in giving effect to the direction in the National Policy Statement on Urban Development

Te Mana o te Wai

The National Policy Statement for Freshwater Management 2020 applies to all freshwater (including groundwater) and, to the extent they are affected by freshwater, to receiving environments. A fundamental concept of the NPS is Te Mana o te Wai which prioritises:

- First the health and wellbeing of water bodies and freshwater ecosystems
- · Second, the health needs of people (such as drinking water)
- Third, the ability of people and communities to provide for their social, economic and cultural well-being, now and in the future.

This is a key policy that our landscape and three waters management strategy embraces.

Te Pūtahi Ladies Mile embraces the above and aims to ensure that the Proposed Masterplan is aligned with National and Regional Policy visions.

Regional Vision

Otago Regional Policy Statement

The Otago Regional Policy Statement (RPS) sets out the direction for the sustainable management of the Region's natural and physical resources. The RPS provides the policy context for the regional plans and it establishes the framework for district plans, and particularly recognises the importance of achieving strategic and coordinated planning for urban growth. The district plan must be consistent with the RPS.

Grow Well | Whaiora - The QLDC Spatial Plan

QLDC, government and Kāi Tahu are working together in partnership to produce a joint spatial plan to address the population and visitor growth challenges facing the region. The overarching goal is to 'Grow Well' or 'Whaiora' which translates to 'in the pursuit of wellness. Te Pūtahi Ladies Mile is identified in the Draft Spatial Plan for growth as a new transit oriented neighbourhood

QLDC Ladies Mile Vision

QLDC has published some project goals and aspirations for Ladies Mile online. These align with the Grow Well | Whairora strategies in areas of housing and transport choices. They also include ambitions for efficient land use, sustainable living, sense of identity and celebration of history and culture.

Te Pūtahi Ladies Mile Design Principles & Key Moves

Design Principles & Key Moves specific to Te Pūtahi Ladies Mile were developed alongside the Spatial Framework Plan to guide the consultation and design, and ensure the project is aligning with the QLDC Spatial Plan and vision.




Key Stakeholders

Key Stakeholders for the project are illustrated in the graphic adjacent.

These groups are all invested in the project and engagement with them informed decision making through the process of the Masterplan.

Ngāi Tahu Iwi Structure There are 7 papatipu rūnaka with mana whenua status in the Queenstown Lakes District area: Otago rūnaka: Te Rūnanga o Moeraki Kāti Huirapa Rūnaka ki Puketeraki Represented by: Aukaha Consultancy Te Rūnanga o Ōtākou Hokonui Rūnanga Southland rūnaka: Waihōpai Rūnaka Represented by: Te Rūnanga o Awarua Te Ao Marama Consultancy Te Rūnanga o Ōraka-Aparima

Source: www.qldc.govt.nz/media/ns4d0eh3/wahitupuna-kaitahurunaka-t16-ellisone-evidence.pdf



Design Principles & Key Moves

Te Pūtahi Ladies Mile Design Principles and Key Moves were developed throughout the process and represent a vision for the future of the area. The Design Principles are the overarching goals for the project, that are encompassed by the Masterplan alongside planning rules, three waters, traffic design and other supporting documents.

The Key Moves are pointed, outcome focused design tools evident in the Masterplan that provide a benchmark for development in the area.

Design Principles:



Consider SH6 as a gateway to Queenstown



Reflect a unique and enduring identity



Support a healthy environment and ecology

Key Moves

- SH-6 is valued and considered in its role in the arrival experience into Queenstown.
- Maintain key views to Lake Hayes, Slope Hill, the Remarkables and surrounding mountains.
- Celebrate built, landscape and cultural heritage.
- Establish a strong holistic landscape framework.
- Water is managed in a way that gives effect to Te Mana o te Wai.
- Maintain ecological value of the Lake Hayes wetland edge and improve connections between the lake and river.
- Support kaitiakitanga of the environment and connections to nature.







06

07

Create self sustained and connected communities

Ensure sustainable transport networks

Do density well, provide quality and diverse housing

Develop a resilient and adaptable framework

- Establish a community and commercial heart for both existing and new neighbourhoods.
- Provide places for community interaction and shared amenity.
- Promote a step change by prioritising public transport and active mode share.
- Ensure quality pedestrian and cycle networks within Te Pūtahi and connections to trails beyond.
- Design attractive streets for people that play an active role in urban life.
- Offer a choice of lifestyles through a range of quality housing typologies, sizes and affordability.
- Establish medium/high density living to support public transport, commercial activity, community facilities and enabling efficient land use.
- Set out a legible & clear structure to future proof the land and avoid sporadic and ad hoc development.
- Identify an appropriate development response that is sympathetic to the local context.
- The Structure Plan acts as a mechanism to manage development while supporting holistic and integrated future growth.





Geographic Scope

The Te Pūtahi Ladies Mile establishment report identified the geographic scope of the Masterplan with three different areas of increasing scale and influence. The Area of Focus fluctuated over the project timeline as various factors came into play, however the wider areas of Influence and Interest continued to inform decisions within the Area of Focus.

The Area of Focus


Identifies where the primary focus for most of the initiatives, projects and key activities will be as part of the Masterplan (note Queenstown Country Club was excluded at the early stage due to the SHA being developed on the site).

The Area of Influence

Identifies the area that will have direct influence on the masterplanning process. Any development within the Te Pūtahi Ladies Mile Area of Focus will have to keep the Area of Interest front of mind throughout the process.

The Area of Interest

Includes the wider Wakatipu Basin to the west of Te Pūtahi Ladies Mile. Feedback received at the Transport and Land Use integration workshop clarified the implications that development at Te Pūtahi Ladies Mile may have on transport, housing and the provision/location of community facilities such as schools, sporting facilities etc. across the wider basin





Site Aerial




History - Overview

Whakatipu Basin History

The Whakatipu area had 3 waves of migration of Māori. First people from Hawaiki in approx. 1200, then 2 separate migrations from Te Ika a Māui (North Island). The first Pākehā to see Whakatipu wai-māori (Lake Wakatipu) was in 1853.

Pākeha settlement of the area began in the 1850s with people migrating from Dunedin for farming. Gold was discovered in the Arrow River in 1862, following which European gold-miners rushed to the area. A couple of years later, the majority of European gold-miners had left for the fresh prospects on the West Coast, leaving space for Chinese gold-miners to try their luck.

Major infrastructure works brought more workers to the area, including the Kawarau Dam which opened in 1926, and the road south-east to Kingston. Tourism started to draw people to the region with the operation of commercial flights into Frankton Airport from the 1950s, and the opening of ski-fields.



Historical Site Use

An Agricultural History

The land now referred to as Te Pūtahi Ladies Mile has a history of agricultural ownership and use. There are examples of this history on site today, a number of which have been identified by QLDC as historic heritage features:

Glenpanel (1)

Centrally located, at the base of Slope Hill, the current Glenpanel Homestead was built by Peter & William Reid in 1909 (1-B). This is the second house on the farm, with the area previously being known as Maryhill Farm and owned by the Flint family who are considered to be the first arable farmers in the area (1-A).

Threepwood (2-6)

The land adjacent to Lake Hayes was inhabited by 1864 by the Marshall Family who named it Meadow Bank Farm, while it was know locally as Lake Hayes Farm (5).

The existing Woolshed & Stables date from 1866 and may be the oldest stone buildings in the district of their kind (3). The Marshall's Cottage was built in 1874 and also remains today (4). The Marshalls grew grain and crops on the flats and grazed sheep on Slope Hill. The soil and climatic conditions resulted in prizewinning wheat for the London market.

Two owners later, in 1910 Robert Lee purchased and renamed the farm Threepwood after his birthplace in England. Lee established exotic trees around the homestead (built in 1909 by the previous owner (2)) and introduced the first irrigation scheme in the basin. Unfortunately Lee died in 1911 as the scheme was complete, a memorial trough stands in his honour set back from the SH6 Frankton Ladies Mile road (6).

In 1938 the Strain family purchased and continued to actively farm Threepwood until its sale in 1993.



Flint's Maryhill Farm (now Glenpanel Farm)



Glenpanel Homestead QLDC Category 3



Cottage at Glenpanel



1956 Aerial with points of interest. Source: QLDC Webmaps.



Threepwood Villa c1909 QLDC Category 2



Marshall Cottage 1905 QLDC Category 3



Threepwood Farm 1905 QLDC Threepwood PumpStations Designation



Threepwood Store Woolshed & Stables
QLDC Category 3 & 2



Marshall Cottage QLDC Category 3



Robert Lee's Memorial Trough QLDC Category 3

Development over time

The following historical aerials show the development of the areas surrounding Te Pūtahi Ladies Mile over time.

Up until 2000 the area was predominantly rural. Between 2001 and 2019 significant residential growth occurred with the development of the low lying land south of SH-6. Development to the north of Te Pūtahi Ladies Mile has been limited by Slope Hill; both in topography and its status as an Outstanding Natural Feature in the District Plan. The focus area itself has remained predominantly rural since at least the early 1900s.



KEY:




















Views to Site



01 - View to site from the Remarkables Ski Field Road




02 - Looking towards Te Pūtahi from Lake Hayes Reserve



03 - Aerial View Looking west towards Te Pūtahi

Views from Site



01 -Panorama from Slope Hill



02 - Looking North-East from Te Pūtahi towards Morven Hill and the Crown Range



03 - Looking North-East from Te Pūtahi towards the Crown Range




04 - Looking South-West from Te Pūtahi towards Frankton/ Te Kirikiri & Peninsula Hill

Site Features







02 - Fields & Housing







04 - Paper Road



05 - Slope Hill & Houses





06 - Historical Cottages

07 - Glenpanel Homestead

Demographics – Existing Community


The Queenstown Lakes District demographics from the 2013 Census (2018 data remains unreleased) are shown on this page.

The region is predominantly European, 87.5% compared to 74% for NZ as a whole. 5.4% of people are Māori, compared to 14.9 as a NZ average. Queenstown Lakes has a higher proportion of 30-50 year old than the rest of NZ, and less under 15 and over 65 year old. The average income in Queenstown Lakes is larger than for the rest of NZ, \$35.1k compared to \$28.5k. Queenstown Lakes has a similar proportion of household types to that of NZ as a whole, with the most common household type a single family unit. The median market rent price of \$550 is higher in Queenstown Lakes than in any other South Island Region, and is higher than the NZ average of \$460 (as of August 2020).

Market Rent Comparison (as of August 2020)

Queenstown Lakes	New Zealand	Dunedin	Christchurch
\$420 (lower)	\$460 (median)	\$225 (lower)	\$380 (lower)
\$550 (median)		\$325 (median)	\$420 (median)
\$700 (upper)		\$450 (upper)	\$490 (upper)

Market rent data from Tenancy Services NZ, August 2020




Pie chart data from 2013 Quick Stats, Statistics NZ

Demographics – A Growing Community

The Queenstown Lakes District is the fastest growing in New Zealand, according to 2018 Census data. New Zealand population growth from 2013 - 2018 was at 2.1% per year, while Queenstown-Lake grew by 6.8% per year in the same period.


Queenstown-Lakes District population is expected to grow to between 44,100 and 51,200 in 2028, and up to between 49,800 and 65,000 in 2043.

QLDC population projections by age group				
	2018	2028	2038	2043
0-4 years	2,487 (6.5%)	2,907 (5.9%)	3,408 (5.9%)	3,644 (5.9%)
5-19 years	6,410 (16.8%)	8,578 (17.4%)	9,363 (16.12%)	9,904 (15.9%)
20-49 years	17,653 (46.4%)	20,352 (41.3%)	22,518 (38.8%)	22,627 (36.4%)
50-64 years	6,627 (17.4%)	9,153 (18.6%)	10,550 (18.2%)	10,844 (17.4%)
65+ years	4,871 (12.8%)	8,287 (16.8%)	12,226 (21.1%)	14,148 (22.7%)
Total	38,048	49,277	58,066	62,167
	+ 29 + 10			.1% Lyears



Source: Statistics New Zealand and QLDC. Data Set: Population - Estimated and projected population and natural increase by territorial authority (2017 update) 1996–2043.

Whakatipu Basin Landform





Geological History

A Tectonic and Glacial History

Tectonic movements have resulted in the basin and range topography of the Otago area. The Whakatipu region was heavily glaciated over the last 2 million years. As the ice retreated from the Whakatipu basin, Lake Wakatipu began to form, leaving sandy and silty till over the bedrock surfaces. Deposits of the Shotover fan/delta isolated Lake Hayes as levels fell.


These distinct landforms are strong features of the current landscape character of the area.

Schist

The basement rock type in the basin is Otago Schist formed of sedimentary rocks.

Till & Alluvium

Outwash plains & lake silt form fans and terraces across the basin particularly in the Frankton/Kawarau River area.



Map showing geology of Ladies Mile and surrounding area. Source: Geology NZ Webmap: data.gns.cri.nz/geology/


KEY

Ecological History

Original Ecologies

The original vegetation of Te Pūtahi Ladies Mile would have likely been scrub, shrubland and tussock-grassland. Native forests in the area were predominantly Beech and broadleaf-podocamp forests. Kowhai would have also been a dominant species.


The Lakeshore of Lake Hayes would have been a wetland comprised of native sedges, flax and toi toi amongst others. This diverse array of plant species would have provided numerous sources of food and habitat for native birds, lizards, bats and insects.



Illustrated visualisation of suggested native planting for the Wakatipu Basin valley floor. Source: The Wakatipu Reforestation Trust: Growing-Native-Plants-In-The-Wakatipu.pdf



Photograph from Pigeon Island, Lake Wakatipu (date not specified). Source: Hocken Collection, University of Otago, c/n E3104/32



Expected original vegetation of the Wakatipu Basin. Source: Statement of Evidence of Glenn Alister Davis on behalf of QLDC: Ecology - Wakatipu Basin Variation Area 28 May 2018. P10. Image retrieved from: Landcare Reseach Limited 2016




Local Ecology

Existing ecosystems and planting


The District contains a high proportion of exotic planting and grasslands that do not support indigenous plants or animals. However, Indigenous biodiversity is an important component of ecosystem services and the District's landscapes. There are a diverse range of habitats that support indigenous plants and animals across the basin. These include forests, shrubland, herbfields, tussock grasslands, wetlands, lake and river margins.

Te Pūtahi Ladies Mile Focus Area has very limited Indigenous planting and habitat. Historical and present-day activities in the area have resulted in a biological environment now dominated by exotic pasture and introduced trees. The remnants of indigenous ecosystems that persist within the Basin are typically small, isolated, and degraded.

This presents an opportunity to improve the presence of indigenous ecosystems at Te Pūtahi Ladies Mile.




Current vegetation of the Wakatipu Basin. Source: Statement of Evidence of Glenn Alister Davis on behalf of QLDC: Ecology - Wakatipu Basin Variation Area 28 May 2018. P13. Image retrieved from: Landcare Reseach Limited 2016.




Threatened Indigenous vegetation and biodiversity. Source: Queenstown Lakes District Council - Proposed District Plan Decisions Version (April 2020). P33-23.


Existing Amenities



Trails and Recreation




Views and Arrival



Arrival View Sequence













Source: Google Maps Street View 2020

Existing Physical Constraints





Existing Opportunities








Engagement Timeline

Te Pūtahi Ladies Mile is a key location of interest for a number of parties; engagement with stakeholders and the wider community is critical to assist in developing a vision and set of outcomes for the area.

The stakeholder engagement strategy for the project included a mixture of meetings, workshops, phone conversations and online meetings. This consultation was ongoing and regular throughout the process.

Public consultation included involved Public Open Days and online/ social media engagement. Public Open Days were held in November 2020, and a public meeting was held 5th May 2021.






Public Engagement Outcomes

Help shape the future of Te Pūtahi: Ladies Mile

Key themes from the public open days feedback	Outcome
Concerns on traffic impact and need for a second bridge	The transport modelling and subsequent transport strategy developed for the masterplan demonstrates that with a high density and mix of uses, combined with a focus on active/public transport modes with supporting transport demand management measures, the transport impacts are minimised and the need for a 2nd bridge is not required.
Less development and density is preferred	Area of high and medium density were reduced. Over 40Ha to the eastern end of Ladies Miles adjacent to Lake Hayes was removed from the developable area.
Keeping development back from State Highway 6, either through increased building setback or lowering height adjacent to the road	Building setbacks and height restrictions against SH-6 are included in the structure plan. For example; a landscape buffer to the northern side of SH-6 has been added, and building heights adjacent to SH-6 reduced to 3 storeys.
Keeping development away from the western shore of Lake Hayes	The Lake Hayes edge and adjacent land is not rezoned and therefore protected as rural/open space. Development area is set back over 600m from the Lake Hayes edge.
The retention of the Council-owned land on the south side of State Highway 6 for the benefit of the local community (e.g. community facilities and sports fields) rather than activities that would provide for District-wide benefits	Council owned land to the south side of SH-6 zoned for open space and community purposes.
Where there is increased building height and density, locating this to the base of Slope Hill rather than adjacent to State Highway 6	Areas of higher building is located from the mid point of the site back to slope hill, rather than adjacent to SH-6.
Support for creating a community focal point including increasing the size of the commercial / retail centre	The local commercial centre is located centrally to the new community and existing communities south of SH-6, and the zoning allows for future growth as demand increases. The commercial centre has significantly increased in size to allow for future growth in this area.
Removal of the proposed roading link to Sylvan Street in Lake Hayes Estate due to effects on privacy and amenity of adjoining landowners;	Sylvan Street road link is required for Public Transport accessibility and resilience for the wider area and will be required once the eastern end of Ladies Mile develops.
Removal of the Marshall Avenue link due to effects on the viability of Threepwood Farm	Future cycle and pedestrian link along paper road and Marshall Avenue for access from Te Putahi / Ladies Mile to Lake Hayes
Retention of existing mature trees.	The existing line of oak trees perpendicular to SH-6 are being protected, other than those required to be removed due to the main collector road.

Design Response to Public Engagement











Design Principles & Key Moves

Design Principles:



Consider SH6 as a gateway to Queenstown



Reflect a unique and enduring identity



Support a healthy environment and ecology

Key Moves

- SH-6 is valued and considered in its role in the arrival experience into Queenstown.
- Maintain key views to Lake Hayes, Slope Hill, the Remarkables and surrounding mountains.
- Celebrate built, landscape and cultural heritage.
- Establish a strong holistic landscape framework.
- Water is managed in a way that gives effect to Te Mana o te Wai.
- Maintain ecological value of the Lake Hayes wetland edge, and improve connections between the lake and river.
- Support kaitiakitanga of the environment and connections to nature.





connected communities



Ensure sustainable I transport networks




Do density well, provide quality and diverse housing



Develop a resilient and adaptable framework

- Establish a community and commercial heart for both existing and new neighbourhoods.
- Provide places for community interaction and shared amenity.
- Promote a step change by prioritising public transport and active mode share.
- Ensure quality pedestrian and cycle networks within Te Pūtahi and connections to trails beyond.
- Design attractive streets for people that play an active role in urban life.
- Offer a choice of lifestyles through a range of quality housing typologies, sizes and affordability.
- Establish medium/high density living to support public transport, commercial activity, community facilities and enabling efficient land
- Set out a legible & clear structure to future proof the land and avoid sporadic and adhoc development.
- Identify an appropriate development response that is sympathetic to the local context.
- The Structure Plan acts as a mechanism to manage development while supporting holistic and integrated future growth.

Concept Diagram - Environment



An Enhanced Environment

Te Pūtahi Ladies Mile site has some key environmental and ecological opportunities. The site is framed by Outstanding Natural Features; Lake Hayes to the east, Kawarau River terraces and The Remarkables to the south, Shotover River to the west and Slope Hill directly to

There are opportunities to maintain views to these features, and the open space qualities of the landscape. The development site itself is predominantly flat, and the large area requires a distinct open space network to support a connection to nature, with connectivity and public amenity alongside housing density.

Where there is development along SH-6 the corridor has landscape treatment and setbacks to soften the urban

Open Space

Maintain visual amenity to lake edge

Protect views from Lake Hayes and toward

Maintain views to Slope Hill and surrounding mountains

Landscape treatment to SH-6


Urban Edge Setback to SH-6

Outstanding Natural Feature Retained

Retained rural lifestyle area



Concept Diagram - Community




Illustrative Masterplan

The Illustrative Masterplan provides a possible future for Te Pūtahi Ladies Mile.

The Masterplan is indicative only, and provides an impression of what the site could look like in the future.



Note: The illustrative school locations and layouts are indicative only and are subject to confirmation by Ministry of Education



Key Features

The Key Features of the Masterplan are illustrated here. They display:

- The potential amenity provision of Te Pūtahi Ladies Mile, including hospitality, commercial, grocery stores, community facilities, schools, parks and sports facilities.
- · The retention of existing key heritage features.
- The potential for provision of active parks and passive open space
- · The retention of existing key trees.
- Walking distances; the majority of the site is within a 1km walking distance to the Town Centre commercial hub, which is approximately 10-12min walk.
- The schools are within 500m of the Town Centre, approximately a 6min walk from the Primary School, and less than 5min from the High School. They are also within 500m of the Community and Sports Hub.


Active Travel Link Commercial Community Grocery Hospitality Heritage Feature High School Primary School Parks Sports Facility **Existing Cemetery Existing Trees** Walking Distances

KEY

Mixed Use

Community Hub

Note: The illustrative school locations and layouts are indicative only and are subject to confirmation by Ministry of Education



Site Overview

This in an indicative overview of the masterplan, describing it's relationship with the surrounding topography and landscape. Key Features include:

- Development is kept away from Lake Hayes and Shotover River.
- Areas of Open Space and the two Schools help break up the consolidated areas of residential development.
- Town Centre is central to both the existing communities of Lower Shotover, Queenstown Country Club and Lake Hayes Estate, and the new community of Te Pūtahi Ladies Mile.
- A substantial Community and Sports Hub is provided south of State Highway 6, for use by existing and new communities.
- Residential housing in defined areas to create community clusters within an open space network.

Note: The illustrative school locations and layouts are indicative only and are subject to confirmation by Ministry of Education

48 | Te Pūtahi Ladies Mile | June 2022 | Final Masterplan Report









Design Principle 1: Consider SH6 as a gateway to Queenstown

That celebrates the evolving nature of the wider Whakatipu Basin

The State Highway 6 corridor that runs through Te Pūtahi Ladies Mile is an important piece of the arrival story into Queenstown. It is renowned by locals and visitors for its unique natural beauty, open space qualities, views to surrounding mountains and rural character.

The Masterplan proposal seeks to retain aspects of the existing corridor such as significant views and open space qualities to Lake Hayes, while re-imagining the central span of the corridor as a green, filtered urban edge. The SH-6 corridor will ensure quality public and active transport, allowing more diversity to the corridor experience.

Key Moves

 SH-6 is valued and considered in its role in the arrival experience into Queenstown.



SH-6 Corridor

1. Rural Corridor


- Maintain Open Space character of Lake Hayes edge and eastern paddocks.
- Expansive Views across to Slope Hill, the Remarkables and surrounding mountains.
- On departure from Queenstown there is future potential for views to Lake Hayes (with removal of some vegetation).

2. Urban Green Corridor

- Green link with layering of trees and planting to either side, landscaped buffer to built edge, cycle and pedestrian path, and public transport use.
- Opportunities to safely cross the road to the Commercial Hub via potential underpass or safe crossing, and future midblock crossings.
- · Directed views through to Slope Hill

3. River Terrace Corridor


- High views maintained over terraces and lower basin to the Remarkables to the South, and towards Ferry Hill to the west.
- Views toward Ferry Hill, Peninsula Hill and Cecil and Walter Peak beyond.
- Road cuts into the land and views are restricted for a section until it opens up before the bridge to views over the river and terraces.




State Highway 6 - Illustrative Section and Plan

Key Features

- · Dedicated Bus Lanes
- · In lane bus stops
- Active travel link: continuous dedicated two-way cycle path and separated pedestrian path
- · Existing trees remain on south of SH-6
- Lighting to active link
- · 25m building restriction zone to North
- Option for laneway adjacent to SH-6 in amenity access area.
- Housing to positively face SH-6 to create and active edge to improve CPTED outcomes





State Highway 6 - Visualisation Existing trees to south of SH-6 Amenity access lane supports an attractive street frontage where development fronts SH-6 Continuous shared active link Vegetated buffer to SH-6 that responds to and mitigates effects of high speed zone 2 storey minimum/ 3 storey maximum along SH-6 to promote strong residential edge Houses face the street to support better CPTED outcomes for amenity access zone **Dedicated Bus Lanes**







Design Principle 2: Foster a Unique & Enduring Identity

That celebrates and responds to the cultural and landscape values of Te Pūtahi Ladies Mile

Te Pūtahi Ladies Mile is situated in a unique and significant natural environment with a compelling ecological and cultural history. The design has an opportunity to reflect and celebrate the natural and cultural memory of the area and to establish a strong local identity for new and existing residents and visitors.

Developments within Te Pūtahi Ladies Mile should be responsive to the Māori and pioneer history of the area, as well as the ecological and landscape context.

Key Moves

- Maintain key views to Lake Hayes, Slope Hill, the Remarkables and surrounding mountains.
- · Celebrate built, landscape and cultural heritage.



Living in Te Pūtahi

- Views through site maintained, with views prioritised towards Slope
- Strong pedestrian and cycle connectivity through street networks, landscape elements, open space, and development areas.
- **3** Existing landscape character is maintained and enhanced where appropriate.
- 4 Shared amenity for medium/high density housing including outdoor space with consideration for good solar, gardens, bike storage etc.
- Emphasis on native regenerative planting alongside local exotic species to represent the dual landscape heritage. Planting to streets, swales and parks enrich the landscape character.
- The Outstanding Natural Feature status of Slope Hill is celebrated for its open space qualities and visual amenity. Higher density living overlooks open space amenity.
- Attractive street design allows for interaction, safe play spaces and shared use. A focus on streets for pedestrians and cyclists with slow vehicle movement and 'play along the way' interventions for family use.
- A variety of housing types provide a diversity of size, type, style, cost and amenity.
- Medium/high density housing is designed with good outlook, sunlight access, connection to nature, shared high quality amenity.
- (10) Consolidated shared parking.





Landscape Character and Heritage

Heritage Elements Retained



A - Glenpanel Homestead

B - Robert Lee Memorial Trough



C - Threepwood Villa



D - Marshall Cottage



E - Threepwood Store/ Stables/ Woolshed

Retained and zoned for commercial use to allow for hospitality function and public interaction.

Land zoning does not change, the character and amenity of the Threepwood area and heritage features are maintained.

Retained Existing Trees (Masterplan Concept)

Retained existing trees in the masterplan concept includes:

- 1. Trees along the south side of State Highway 6.
- 2. Trees on the bank to the south of the sports hub, screen for potential Sylvan St link.
- 3. Walnut trees to the south of the Community Hub.
- 4. Oak tree avenue shown on the masterplan east of the Primary School.
- 5. Trees associated with the Glenpanel Homestead.
- 6. Existing trees associated with Slope Hill gullies, as appropriate and as deemed to have value.
- 7. Trees near the Lake Hayes edge which screen views of the development from the other side of the lake.

Note: Developers will be required to consider other existing mature trees with a view to retaining where possible.

Retained Views





Views through the development to Slope Hill that are maintained through crafting open space allowances and road corridors.

Open Views

Minimally obstructed views across low lying or open rural areas that allow for 360 degree visibility of surrounding landscape features.



Remarkables Views

Views across open space/ low lying development across to Remarkables

Ranges Views

Views across to ranges including Walter Peak and Cecil Peak.





Design Principle 3: Support A Healthy Environment & Ecology

Where people are connected to nature and the development improves ecological outcomes in the long-term

The existing environment of Te Pūtahi Ladies Mile is valued for its open space characteristics, however the rural landscape is not representative of original indigenous ecologies and does not support sustainable water management.

The landscape of the Masterplan seeks to support the regeneration of native species alongside the retention of existing trees and complementary exotic planting.

Key Moves

- Establish a strong holistic landscape framework.
- Water is managed in a way that gives effect to Te Mana o te Wai.
- Maintain ecological value of the Lake Hayes wetland edge, and improve connections between the lake and river.
- Support kaitiakitanga of the environment and connections to nature.



Landscape Concept

The overall landscape strategy for Te Pūtahi Ladies Mile seeks to create a strong vegetation framework that supports the regeneration of native ecologies; provides for habitat connections between Lake Hayes, Slope Hill, and the Shotover river; and reflects the rural, agricultural, and open space qualities of the wider Wakatipu Basin.

SH₆

SH6 is a major gateway to Queenstown and the landscape approach is to retain and enhance the existing qualities of this arrival experience – namely a tree lined and landscaped corridor with open views to the Remarkables and the establishment of key view corridors to Slope Hill. The existing chestnut trees on the Southern side of SH6 should be retained and additional tree planting to both sides should be large scale exotic species to create a consistent and distinctive arrival experience.

Green Corridor:

A native green corridor is proposed to the base of Slope Hill to connect Lake Hayes with the Shotover River. Planting will reflect the original woodland, scrub-land, and tussock grassland ecology of the area. Whilst outside of the study area the plan promotes the re-vegetation of the lower Slope Hill gullies to contribute to stormwater management, water quality and biodiversity.

The focus of planting along, and to the north of the primary spine road should be native including walkways, amenity reserves and private gardens. Exotic species for heritage and amenity values can be incorporated. Planting along the primary link roads to SH6 extend the native planting to meet SH6 and provide a distinctive character for Te Pūtahi Ladies Mile.

Primary entrance roads:

Street tree planting for the 3 main entrance roads should be large scale to reflect the agrarian landscape and language of shelter-belts and strong lines. Form and placement should be considered so as to maintain and accentuate views to Slope Hill.

Existing trees:

Existing mature trees have been identified for retention, notably the Oak lined driveway and trees associated with the homestead. These trees provide a maturity and landmarks for the development that are not easily replaced.

Internal Streets:

Street tree and under-planting to internal streets should be a blend of native and exotic species selected to compliment the overall planting framework whilst responding to site specific view shafts, solar gain, provision of shade, and scale. It is also anticipated that the tree planting within private lots will contribute to the overall streetscape, and again species should be selected to contribute to overall biodiversity, bird habitat, and the overall ambition for a network of connected green neighbourhoods.



Native Ecologies

To support and restore native ecologies.




Exotic local character

Exotic, deciduous trees reflecting local character and providing seasonal variation.



Native and Exotic blend
Blending native shrub and herbaceous species
with exotic trees to celebrate both characters
and extend native habitats.



Planting Palette



Sweet Chestnut Castanea sativa



Fagus sylvatica

English Beech Flowering Cherry Prunus

'Shirofugen'



Mountain Ash Eucalyptus regnans

Retained trees



Flowering Ash Fraxinus ornus 'fastigiata pyramidalis'



'Lobel'

Oak Ulmus hollandica Quercus petraea



Oak Quercus palustris



Tulip Tree Liriodendron tulipfera

(2)

Large scale deciduous species to compliment existing SH6 character



Sweetgum Liquidambar styraciflua



Black gum **Upright Oak** Quercus robur Nyssa sylvatica 'Fastigiata'



Sedge Carex buchananii



Sedge Carex secta



Red Tussock Chinochloa rubra



Olearia Olearia bullata



A blend of native and exotic species. Low lying native species to provide habitat and native character. Exotic street trees to compliment local character and provide passive solar benefits.

- Swale/water sensitive native planting
- Exotic deciduous trees



Silver Beech Lophozonia menziesii



Kowhai

Sophora

microphylla



Carex

buchananii

Sedge Sedge



Carex secta

Red Tussock

Chinochloa

rubra



Olearia Olearia bullata



Flax Phormium tenax

Collector Road (4)

The green link across the development with generous planting and extensive network of cycle and walk ways within the native vegetation.

- · Water sensitive planting
- Habitat friendly (flowers + berries)



Cabbage Tree Cordyline australis



Kowhai Sophora microphylla



Toi toi Austroderia richardii



Red Tussock Chinochloa rubra

serrata



Corokia Corokia

cotoneaster



Coprosma Coprosma

rugosa



Hebe Hebe



Flax Phormium tenax

Reserves **(5)**

Native planting palette for recreation reserves to reflect the indigenous woodland species of the ecological region and support habitat for native species.

- Kowhai trees for shade
- Water sensitive plants
- Amenity planting



Kowhai Sophora microphylla



Beech Fuscospora

cliffortiodes



Tussock Chinochloa rigida



Wineberry Manuka Aristotelia Leptospermum

scoparium



Tree Daisy Olearia bullata



toumatou

ordora

Tree Daisy Discaria



Flax Phormium tenax

Slope Hill Gullies

Support the re-vegetation of slope hill gullies to provide habitat and improve stormwater management.

- Plants that handle dampness
- Plants that attract insects and birds (typically berries & flowers)
- Planting palette to reflect original vegetation of Slope Hill area



Stormwater Strategy

Guiding Principles for Stormwater Management

The original draft masterplan (October 2021) proposed two centralised detention areas and swales to deal with water quality and quantity issues including capturing natural flows from Slope Hill. Neither Council nor landowners are in a position to lead the implementation of the proposed centralised system and it is now intended that the stormwater management approach will still follow the same principles, with the detailed solutions being developed by landowners subject to Council endorsement.

- Utilise stormwater management solutions that mimic the natural water cycle and enhance the water quality.
- Employ an integrated stormwater management approach that supports connectivity to the natural environment and gives effect to Te Mana o te Wai and the community wellbeing.
- Manage flooding and surface water flow to safeguard the community and infrastructure in a sustainable manner.
- The hydrological regime in the area is replicated such that the maximum rate of discharge and peak flood levels post development are no greater than pre development
- That there are no overland flows from attenuation systems or soak pits for 1% AEP events or less unless there is a defined and acceptable overland flow path
- Ensure that there is a maximum 24-hour drain-down for any attenuation systems basis/soak pits for 1%AEP events
- That there are no overland flows across SH6 for 1% AEP events or less
- That there are no direct discharges from the development area into Lake Hayes
- That runoff from all roads is managed through appropriate treatment device(s)
- Avoid a proliferation of multiple stormwater management systems and devices. Depending on location and land ownership structures this may necessitate co-operation of multiple landowners to ensure an acceptable approach
- Implement stormwater management solutions that deliver lifecycle operational and economic resilience.
- Align 'blue' stormwater solutions and the wider 'green' landscape and open space strategies wherever possible



Stormwater wetland with native planting and walking paths.



Stormwater retention areas with native planting integrated with pathways.




Stormwater swales with native planting and pathways winding across and around.



Stormwater retention pond with native planting and walking paths.

Hooten Reserve & Lucas Creek, Albany, Auckland. Project by Bradbury McKegg (BMLA). Source: https://architecturenow.co.nz/articles/hooten-reserve-lucas-creek/









Design Principle 4: Create Self Sustained & Connected Communities

With self-servicing local amenity and a central community heart/hub

There is potential for Te Pūtahi Ladies Mile to provide strengthened community facilities and amenity for the new community, and also for the existing communities across State Highway 6.

The design allows for a vibrant community heart, with the Town Centre to the north of SH-6, and a Community and Sports Hub to the south connected via potenital underpass or safe crossing and eventually, signalised crossings. The Town Centre is a mixed use area with the ability to grow in commercial use depending on demand. Medium/High density living creates a critical mass of people to support shared amenity including parks, play spaces, shared parking and community gardens. Density and the supporting shared spaces encourage social interaction, moments for connection and ability to know your neighbours.

Key Moves

- Establish a community and commercial heart for both existing and new neighbourhoods.
- · Provide places for community interaction and shared amenity.
- · Provide for schools to serve existing and future communities.



Town Centre

The Town Centre is in the middle of the development area, across the State Highway from the Community and Sports Hub. The zoning supports Commercial and Residential use. The Town Centre area is large enough to future proof for growth in population and commercial demand. It enables a mix of commercial, retail and hospitality use typically on the ground floor with the opportunity for office spaces and residential apartments above.

Community Park

Play area

Town Centre Collector Road


Consolidated parking in Town Centre

Town Centre Civic Space

Safe Crossing

Note: The illustrative school locations and layouts are indicative only and are subject to confirmation by Ministry of Education






Town Centre Visualisation

The Town Centre is a vibrant community heart for both the new development area and surrounding communities. The street alongside the town centre has dedicated two way cycle way which provides an active link through the site and connects directly to the community park.

The commercial street frontage activated with glazing, outdoor seating and continuous canopies provide cover. Consolidated parking is provided off street and behind the main street frontage.

Activated street frontage Shared streets support vibrant street life Future proofed ground floor for commercial use Consolidated parking at rear Dedicated continuous cycle way Safe street crossings at regular intervals	Slope Hill views	
Shared streets support vibrant street life Future proofed ground floor for commercial use Consolidated parking at rear Dedicated continuous cycle way		α
Shared streets support vibrant street life Future proofed ground floor for commercial use Consolidated parking at rear Dedicated continuous cycle way		
Future proofed ground floor for commercial use Consolidated parking at rear Dedicated continuous cycle way	Activated street frontage	
Consolidated parking at rear Dedicated continuous cycle way	Shared streets support vibrant street life	
Consolidated parking at rear Dedicated continuous cycle way		The state of the s
Consolidated parking at rear Dedicated continuous cycle way		
The state of the s		
Safe street crossings at regular intervals		
Safe street crossings at regular intervals		A STATE OF THE STA
	Safe street crossings at regular intervals	





Community and Sports Hubs

Key Features

- Located across SH-6 from the Town Centre
 pedestrian and cycle access connecting to Community Hub
- Straddles the new development and the existing communities of Lake Hayes Estate, Queenstown Country Club and Shotover Country.
- Zoning to allow for Open Space and Community Use, and could include uses such as Community Buildings, Indoor Sports Facilities, Clubrooms, Community Park and Sports Fields.
- The Sylvan Street Link can be implemented (depending on demand) to improve connectivity for the existing communities to the south of SH-6.
- Existing trees to remain where viable to add landscape character and amenity.

Multi-Use Sports Fields

Sylvan Street Link

Safe Crossing

Landmark Community Building and Associated Facilities

e.g.. Play Area, Indoor Sports Facilities, Shared Use Spaces.

Note: The illustrative school locations and layouts are indicative only and are subject to confirmation by Ministry of Education

Retained Existing Trees







Design Principle 5: Ensure Sustainable Transport Networks

With a well connected movement network - offering high quality walking, cycling, and public transport

The Masterplan supports a step change from private car reliance to public and active travel modes.

Streets are designed with safe cycle and walking routes, crossing allowances, and connections to existing walking/cycling routes are provided. Existing bus networks are improved and the fully developed public transport network will provide bus stops along SH-6 within 500m of all new residential neighbourhoods. By prioritising shared and active modes of travel Te Pūtahi Ladies Mile can be a leading example for sustainable growth in the wider Queenstown Lakes area.


Key Moves

- Promote a step change by prioritising public transport and active mode share.
- Ensure quality pedestrian and cycle networks within Te Pūtahi and connections to trails beyond.
- Design attractive streets for people that play an active role in urban life.



Initial Public Transport Networks














State Highway 6 Corridor

State Highway 6 Corridor - Fully Developed Future Plan

- 1. Eastbound bus lane from Stalker roundabout to eastern roundabout
- 2. NZUP westbound bus lane extended to eastern roundabout
- 3. Pedestrian/cycle routes adjacent to both sides of SH6 between eastern roundabout and Stalker Road
- 4. Laurel Hills access from consented access point on Stalker Road
- 5. Pedestrian/cycle route to Spence Road via raised pedestrian/cycle crossing on Lower Shotover Road

Note: The illustrative school locations and layouts are indicative only and are subject to confirmation by Ministry of Education

Key



Bus stop



Signal controlled pedestrian/cycle crossing



Midblock controlled crossing



Potential Underpass or safe crossing



Speed limit change



Raised pedestrian/cycle crossing



Street Types



Healthy streets are vital part of supporting sustainable development.

Five uniquely crafted street typologies are proposed for this masterplan. The design and the arrangement of key elements (such as planting, footpaths, cycle lanes, roading, and parking) will support a street network that is functional in terms of helping people getting around safely and efficiently and is an attractive public space for the community.

Encourage modal shift

The street network is designed to support safe and convenient walking and cycling, and access to local buses, through the use of traffic calmed slow streets, separated cycle ways, pedestrian priority intersections, and frequent crossing facilities.

Attractive streets

Each street allows for generous tree planting and vegetation to support local biodiversity and residents' connection to nature.

Social streets

Streets as places that encourage social interaction by providing slow family friendly residential streets that have places to sit, are multi-use, and support 'play along the way'. The Town Centre street has wide footpaths that allow for landscape amenity and space for outdoor seating for businesses and cafés.

Note: The illustrative school locations and layouts are indicative only and are subject to confirmation by Ministry of Education



Illustrative Street A

Key Connector Road parallel to Slope Hill

Key Features:

- 40km/hr design speed & posted legal speed.
- · Additional speed reductions at school safety zones.
- Future proofed for buses.
- Separated dual cycleway
- · No driveway vehicle crossings (access from side streets only).
- Vertical & horizontal traffic calming @ ~45m intervals.
- · Side streets adjoining road A @ minimum 120m intervals.
- Side streets adjoining road A (southern side) @ minimum 60m intervals.
- Pedestrian crossing facilities at key intersections and desire lines.
 Maximum spacing 120m.
- · Raised footpath crossings to side streets.
- Minimum tree spacing in parking lane @ max 22m (every ~3 parking spaces)
- Cycleway and footpath are adequately lit.
- Street furniture for respite. Seating every 60m.






Illustrative Street B

Connector Road perpendicular to Slope Hill

Key Features

- 40km/hr design speed & posted legal speed.
- Future proofed for buses.
- Separated dual cycleway
- No driveway vehicle crossings on cycleway side.
- · Road access for up to one street on either side of road.
- Walking and cycle access to adjacent streets every 60m.
- Vertical & horizontal traffic calming @ ~45m intervals.
- Pedestrian crossing facilities at key intersections and desire lines. Maximum spacing 120m.
- · Raised footpath crossings to side streets.
- Minimum tree spacing in 'Berm 2' @ 12m centres.
- Minimum tree spacing in 'Berm 3' @ 22m centres (every 3 carparks).
- · Cycleway and footpath are adequately lit.
- · Street furniture for respite. Seating every 60m.
- · Allows views to Slope Hill.



Illustrative Street C

Main Connector Road adjacent to Town Centre

Key Features

- 30km/hr design speed & posted legal speed.
- · Future proofed for buses.
- · Separated dual cycleway
- No vehicle crossings on cycleway side. Excludes walking and cycle access.
- Road access for up to two number of side streets on the Eastern side of road, and one number on the Western side.
- · Vertical traffic calming at ~45m intervals.
- Pedestrian crossing facilities at key intersections and desire lines, and at a maximum spacing of 120m.
- Raised footpath crossings to side streets.
- Minimum tree spacing in parking lane @ max 22m centres (every ~3 parking spaces)
- · Street furniture for respite.
- · Cycle parking.
- · Spill out areas for cafe seating.
- Cycleway and footpath are adequately lit.
- Canopy to town centre frontages (2.5m wide with 3.5m RL ground clearance
- Enables views to Slope Hill





Illustrative Streets E & F

Local Roads within Superlot Neighbourhoods

Key Features (E)

- Utilized as 'Local Road Type E' on structure plan.
- · Low traffic neighbourhood street.
- 30km/hr design speed & posted legal speed.
- Vertical & horizontal traffic calming:
 - Interventions at ~30m intervals and at intersection thresholds to side streets.


Interventions to include trees and planter build outs.

- Raised footpath crossing at side streets.
- · Minimum 8m between vehicle crossings.
- Minimum tree spacing in berms @ 22m centres (every 3 no. carparks)
- Seating every 100m.
- · Incorporates 'play along the way'.


Key Features (F)


All of the above Key Features (E) +

- Maximum length 60m, and can't form a continuous road with roads beyond.
- Minimum street tree spacing @ 16m centres (every 2 no. parking spaces)
- · Seating every 60m.











Illustrative Streets G - Alternative Scenarios Street G - V1

Local Road within Superlot Neighbourhoods

A variation to Street E in a scenario that anticipates a significantly reduced provision of on-lot and on-street parking spaces. This would mean that some lots will not have vehicle access to the property (i.e vehicle crossings), while other may have rear-access only.

Key Features of Street G - V1

- Utilised as 'Local Road Type E' on the Structure Plan
- Low traffic neighbourhood street
- Provision of on-street consolidated parking spaces
- 30km/hr design speed & posted legal speed
- Meandering carriageway encourages slower speeds
- · Vertical & horizontal traffic calming:

Interventions at "30m intervals and at intersection thresholds to side streets.

Interventions to include trees and planter build outs.

- Raised footpath crossing at side streets.
- Minimum 8m between vehicle crossings.
- Seating spaces minimum every 100m.
- Larger spaces for play, seating, lawn etc.

Properties without vehicle access, consolidated parking space avaliable

Properties with vehicle access and on-lot parking



Carriageway (cars and bikes)

Consolidated area for play, seating amenities, parking



Space for on-street

play and seating

Consolidated on-street

parking space

Street G - V2



Local Road within Superlot Neighbourhoods

A variation to Street E in a scenario that anticipates a significantly reduced provision of on-lot and on-street parking spaces. This would mean that some lots will not have vehicle access to the property (i.e vehicle crossings), while other may have rear-access only.

Key Features of Street G - V2


- Utilised as 'Local Road Type E' on the Structure Plan
- · Low traffic neighbourhood street
- No provision of on-street parking
- 30km/hr design speed & posted legal speed
- Allows for vehicle access to properties on one side only
- Vertical & horizontal traffic calming:
 - Interventions at ~30m intervals and at intersection thresholds to side streets.
- Interventions to include trees and planter build outs.
- Raised footpath crossing at side streets.
- Minimum 8m between vehicle crossings
- Greater ecological/biodiversity capacity
- Large linear reserve within street corridor with:

Seating spaces minimum every 50m Play space/open lawn every 150m

Properties without vehicle access from street.

Rear-access to lots may be provided

No vehicle access to properties from street







Shared Footpath + Services

Large linear reserve with play, seating amenities

Carriageway (cars and bikes) Footpath + Services

Properties with vehicle access and on-lot parking

Illustrative Streets H - Alternative Scenario Street H - V1

Local Road within Superlot Neighbourhoods

A variation to Street F in a scenario that anticipates a significantly reduced provision of on-lot and on-street parking spaces. This would mean that some lots will not have vehicle access to the property (i.e vehicle crossings), while other may have rear-access only.

Key Features of Street H - V1

- Utilised as 'Local Road Type F' on the Structure Plan
- Scaled-down version of Street G V1
- · Low traffic neighbourhood street.
- Provision of consolidated parking spaces
- 30km/hr design speed & posted legal speed
- Meandering carriageway encourages slower speeds
- Vertical & horizontal traffic calming:
 - Interventions at ~30m intervals and at intersection thresholds to side streets.
 - · Interventions to include trees and planter build outs.
- Raised footpath crossing at side streets.
- Minimum 8m between vehicle crossings.
- Seating spaces minimum every 100m.
- Larger spaces for play, seating, lawn etc.

Properties without vehicle access, consolidated parking space avaliable/ rear-access

Properties with vehicle access and on-lot parking

Consolidated on-street

parking space



Footpath + Services Carriageway (cars and bikes)

Consolidated parking, play and seating area



Space for on-street

play and seating

amenities



Illustrative Streets H - Alternative Scenario Street H - V2


Local Road within Superlot Neighbourhoods

A variation to Street F in a scenario that anticipates a significantly reduced provision of on-lot and on-street parking spaces. This would mean that some lots will not have vehicle access to the property (i.e vehicle crossings), while other may have rear-access only.

Key Features of Street H - V2

- Utilised as 'Local Road Type F' on the Structure Plan
- Scaled-down version of Street G V2
- · No provision of on-street parking
- Low traffic neighbourhood street.
- Provision of consolidated parking spaces
- 30km/hr design speed & posted legal speed
- Meandering carriageway encourages slower speeds
- Vertical & horizontal traffic calming:
 - Interventions at ~30m intervals and at intersection thresholds to side streets
 - Interventions to include trees and planter build outs.
- Raised footpath crossing at side streets.
- Minimum 8m between vehicle crossings.
- Seating spaces minimum every 100m.
- Larger spaces for play, seating, lawn etc.

Properties without vehicle access, consolidated parking space avaliable/ rear-access



No vehicle access to properties from street

Continuous planted berm with areas of seating and or small play elements

Continuous, wide planted berm with areas of seating Carriageway (cars and bikes) Footpath + Services

Properties with vehicle access and on-lot parking







Design Principle 6: Do density well, provide quality & diverse housing

To ensure there is a variety of housing choice that fosters community and shared amenity

Te Pūtahi Ladies Mile must provide efficient, diverse housing that caters for the range of community, family and individual needs. The design allows for a choice of housing through difference typologies, housing types, sizes and options for various delivery models.

Given the growing population of the region there is pressure for land to be developed efficiently to ensure future generations are catered for, and inefficient urban sprawl does not continue. The Masterplan and planning variation ensures medium and high density housing is provided where appropriate. Where density is increased, shared facilities are necessary to ensure lifestyle needs are met. Affordable housing options are provided through housing diversity, choice and alternative delivery methods.

Key Moves

- Offer a choice of lifestyles through a range of quality housing typologies, sizes and affordability.
- Establish medium/high density living to support public transport, commercial activity, community facilities and enabling efficient land use.



Typologies

North of SH-6

Typology Mix


A mix of typologies allows for diversity of housing choice.

- North of SH-6 includes medium to high density housing typologies; a mix of Apartments, Walk-Up's, Terraces and Duplex Housing.
- A mix of these typologies will meet the planning requirements of the Medium and High Density Residential zones.
- Stand-alone housing is not permitted north of SH-6. This is because it is not an efficient use of land and does not support the population requirements.
- Alongside medium and high density living will be shared outdoor space and amenity.
- South of SH-6 typologies could include Terraces, Duplex and Standalone housing. A mix of these could meet the Lower Residential Zoning rules.
- Typology mix is encouraged by requirements in the planning provisions.

Apartments

Multiple households operating as a group over 4 or more stories with shared amenity, servicing and lift access. Located to best utilise public space and amenities including transport hubs. Medium to high density land use.





Walk-Up Apartment

Multiple households operating as a group up to 4 stories with shared amenity, servicing and stair access. Medium density land use.








North of SH-6

South of SH-6

Terrace Housing


Individual households on compact lots with shared party walls up to 3 stories. Private servicing and outdoor space with opportunities for some shared amenity. Medium density land use.





Duplex/ Semi-Detached


One household per lot with a shared party wall. Each house with its own amenity and servicing. Medium-Low density land use.





Stand-alone Housing

One household per lot operating independently with its own amenity and servicing. Low density land use.






Density and shared amenity

With Medium and High Density Living, comes the necessity for an increase in shared amenity. Key considerations include:

- Allowance of Open Space and Parks within walking distance of all Medium/High Density Units.
- Open Space outlook from living/ bedrooms, connection to nature.
- · Good Solar Access to outdoor living spaces.
- Medium/High Density living is in close proximity to community facilities i.e. schools, parks and Town Centre.
- Consolidated shared parking.
- · Options for shared community gardens.
- Access to shared pathways connecting to major Active Travel Routes.
- Access to 'Play Along the Way' in walking distance from higher density living to support family living.






Alternative Housing Delivery Models

There are opportunities for alternative housing delivery models to provide more diversity, choice and affordability within Te Pūtahi Ladies Mile

- Currently housing delivery in New Zealand is predominantly focused toward the 'build to sell' model. It is becoming clear this model does not provide enough options for people.
- There are alternative potential housing delivery models that are utilised overseas. These alternative models can bridge the gap between emergency housing and the current dominant free market model.
- The adjacent diagram show the housing continuum, and a range of potential housing delivery options that have the potential to improve housing diversity, affordability and choice.
- Te Pūtahi Ladies Mile has the potential to provide positive housing options for those currently left out of the housing market.
- The provision of apartment living also provides more choice and in nature can provide a more affordable option due to the increased density and opportunities for shared amenity.




Alternative Housing Models



Density Diagram





Yield Table



Sub-Area	Land Use	Measured Area (m2)	Minimum Density (u/Ha)	Gross Developable Area (Ha)	Minimum number of units	Maximum number of units (max +20%)	
TE PŪTAHI LADIES MILE (NORTH of SH6)							

A1	Resi - Med	44,286.12	40	4.4	176	211
A2	Resi - Med	26,739.65	40	2.7	108	130
B1	Resi - Med	23,498.47	40	2.4	96	115
B2	Resi - Med	48,845.71	40	4.9	196	235
ВЗ	Hub - Commercial	18,689.81	40	1.9	76	91
B4	Schools	35,087.13	40	3.5		
C1	Resi - High	22,392.28	60	2.2	132	158
C2	Resi - High	75,961.16	60	7.6	456	547
D1	Hub - Commercial	21,308.09		2.1	+65	+130
E1	Resi - High	85,288.42	60	8.5	510	612
E2	Schools	74,204.28	60	7.4		
F1	Resi - High	48,794.86	60	4.9	294	353
F2	Resi - Med	9,132.91	40	0.9	36	43
G1	Resi - Med	12,653.81	40	1.3	52	62

54.7 Ha

43.8 Ha 2,197 2,687 ex schools

Adjusted to allow
for stormwater
management

1,868 2,284

H1	Resi - Low	30,409.43	3.0	38	38
H2	Resi - Low	82,783.40	8.3	60	60
l1	Resi - Low	23,343.63	2.3	30	30
J1	Resi - Low	7,937.25	0.8	17	26

14.3 Ha 145 154


TE PŪTAHI LADIES MILE

YIELD RANGE	58.1 Ha ex schools	2,013	-	2438	
-------------	---------------------------	-------	---	------	--

Building Heights

Key Concepts

- · Increases in proximity to Slope Hill, height is 'tucked in' to hill
- 3 Storey Max and 2 Storey Min Overlays to manage perceived density and dominance while creating urban continuity to SH-6
- · RL Height Restriction supports view shaft
- Enable timber structures in height allowance future proofing development options
- · Refined stepping of heights relates to adjacent land use
- Heights relate to density to encourage diversity of typologies across the zones



8m

- · Enables 2 storey houses
- Maintain 45/30deg roof opportunities

13m

- · Enables 3 storey walkup with varied roof forms
- · Allowance for lift overrun of 1m (in Town Centre)
- 3.6m allowance FFL- FFL height
- Integrated plant
- · 4m commercial ground floor

24.5m

24.5m

- · Enables up to 6 storey apartment
- Allowance for lift overrun of 1m
- 3.6m allowance FFL-FFL height
- · Integrated plant
- · 4m commercial ground floor

RELEVANT DENSITY PLANNING ZONES:

Lower Density (SH6 South)


Med Density (40u/Ha)

Med Density (40u/Ha)

High Density (60u/Ha)

High Density (60u/Ha)

Town Centre North



Yield Testing - 60 units/ha

Total Figures

419 units | 6.97 ha

60 units per hectare (gross area)

Average bedroom mix: 2.18


NOTE: This yield study is illustrative only and demonstrates one potential typology scenario to achieve the minimum 60units/ha yield. It is not representative of a designed masterplan.

Unit typology mix:

	Typology:	
		(T)
(No. of	1 Bed Apartment	104
levels)	2 Bed Apartment	136
	3 Bed Apartment	6
[]	2-3 Bed House (50/50 split) (terrace or duplex)	136
	3 Bed House (terrace or duplex)	31
	4 Bed House (terrace or duplex)	6
	TOTAL:	<u>419</u>
	Car parking:	

TOTAL Street parks provided: 0.31/dwelling	130
TOTAL Private parks provided: 0.78/dwelling	<u>326</u>
Car parks detached =	167
PRIVATE: On lot 'door to door' =	159

Note: Maximum theoretical parking allowance = 481 (private) + on street parks (based on 0.5/1BD, 1/2BD, 2/3+BD)











Design Principle 7: Develop a Resilient & Adaptable Plan

That takes a long term approach and is resilient for future generations

Te Pūtahi Ladies Mile Masterplan and the associated plan variation sets out a clear and resilient plan for the future growth of the area.

The following suggested plans, along with the key moves and objectives set out in this masterplan report, work together to achieve efficient landuse, transport connectivity, community amenity and sustainable water management alongside maintaining a strong sense of place and landscape identity.

The suggested structure plan moves set out a clear spatial framework to ensure that future development is well executed and that the objectives of the Masterplan are met.

The intention is that the Structure Plan and associated Planning Provisions work together to guide developers toward appropriate design responses to a range of local conditions, ensuring that future development is cohesive across the masterplan area, even as it may happen accumulatively over time. The Masterplan encourages consolidated strategies for shared amenity and infrastructure such as stormwater, roading, transport, open space and community facilities.

The development shows leadership on climate change (net zero by 2050) through encouraging low carbon emission design, ecological regeneration, and waste minimisation.

Key Moves

- Set out a resilient and adaptable plan to future-proof developvable land and avoid sporadic and adhoc development.
- Identify an appropriate development response that is sympathetic to the local context.
- The Structure Plan acts as a mechanism to manage development while supporting holistic and integrated future growth.



Suggested Structure Plan Moves


The Suggested Structure Plan Moves describe the primary moves that the structure plan should support

- A strong transport framework to support a cohesive development.
- Allowances for public access and active travel links into existing trails, and access to bus stops.
- Allowance for safe crossing of State Highway 6 into the centre of Te Pūtahi Ladies Mile, with enough space to ensure a quality, accessible, and appropriately landscaped design.
- Buffer to SH-6 from development to the north via the 'Amenity Access Area' which includes active transport links and landscape treatment.
- View protection for views to surrounding mountains; Cecil Peak, Walter Peak, Ferry Hill from SH6 at western end of Te Pūtahi Ladies Mile.
- Allowance for a Road Link to Sylvan Street to future proof for increase on public transport demands.
- Open Space land and a Community Park is protected to ensure open space visual links and quality outdoor amenity for future residents.
- Key existing trees are protected to conserve landscape heritage character and provide visual amenity and buffering.
- A landscape buffer is introduced to the north west corner toward Lower Shotover Road to screen development in Te Pūtahi Ladies Mile.

Note: Please refer to Drawing 'Te Pūtahi Ladies Mile Structure Plan - General' for the statutory structure plan.








Suggested Sub Areas





Suggested Zoning Plan



